

Revolutionize your lifestyle with water

Change Your Water...Change Your Life

Leveluk *SD*⁵⁰¹ *DX*

Continuous Ionized Electrolysis Water Generator

Eight-language display and voice prompt

Anywhere in the world, supporting multi-voltage power input (100~240V)

Large LCD panel adoption




FOR YOUR CONVENIENCE - Display and Audio Guidance is available in 8 languages AND, it is compatible with free power input worldwide, making it user-friendly.

Point 1

The electrolytic cell is equipped with 7 electrode plates, which produce very powerful results, yet compactly designed

The electrolytic cell is equipped with 7 electrode plates using titanium platinum plating to generate ample high power. With powerful electrolytic capabilities, it consistently generates water with ORP ranging from +1130mV to -800mV. (Range varies depending on the selected water and water source.) Hydrogen is generated on the reduced water side (cathode side) through electrolysis, and the concentration of hydroxide ions (OH⁻) and cations (such as calcium ions) increases.




Point 2

With a built-in electrolysis enhancer tank

allows stable and continuous generation of strong acidic water and strong reducing water.

The hassle of adding electrolytic enhancer is eliminated by incorporating an electrolytic enhancement liquid tank, allowing for the stable and continuous generation of highly effective strong acidic water and strong reducing water.




Point 3

Notification with a large LCD display and audio guide


With an easy-to-read large LCD display and voice guidance, it informs you about the water being generated (reduced water, acidic water, strong acidic water*, purified water) and any other necessary information. Its operations are simplified where you can turn the power ON/OFF with one touch and select the type of water you want to generate.

* Pressing the strong acidic button will simultaneously discharge strong acidic water from the discharge hose and strong reducing water from the flexible pipe.




High-performance water filter that produces delicious water

Filter is estimated to last approximately after 1600 gallons of total water usage. With a daily usage of about 8 gallons, it is estimated to last about 6 months. (This estimate may vary depending on water quality and quantity.) The replacement time will be notified through the LCD display, voice, and alarm. The high-performance water filter removes lead, residual chlorine (bleach), odors, red rust, and impurities, while allowing mineral components to pass through.



Supporting multi-voltage power input, can be used anywhere in the world.



5 TYPES OF WATER FOR

Hygienic use

Strong Acidic Water

pH2.5 and below ⚠️*NON-POTABLE

button push from the secondary hose

At the same time, Strong Kangen Water will be released from the flexible pipe.

Cleaning power

Strong cleaning and disinfecting power

Strong acidic water may assist in general household cleaning such as, for rinsing produce, washing dishes and cooking utensils, and when cleaning surfaces.



- Used for rinsing kitchen items after washing
- To clean your hands
- To clean your toothbrushes
- To clean your skin
- To remove tea and coffee stains
- To eliminate odors



Environmental use

Strong Reduction Water

pH11.0 and above ⚠️*NON-POTABLE

button push from the flexible pipe

At the same time, Strong Acidic Water will be released from the secondary hose.

Cleaning power

It has a strong effect to dissolve and clean materials.

Super-swelling effect

It softens materials quickly.

Dissolving effect

It has a strong power to dissolve and draw out substances.

Thermal conduction

It doesn't take long time to boil.

Strong Kangen Water packs an effective cleaning effect as a detergent preserving hygiene in your daily life.

- For rinsing kitchenware
- Washing Hands
- Rinsing skin surfaces
- Rinsing Toothbrush
- Removing tea and coffee stains
- Reducing odors



※ It will be still more effective to clean with strong acidic water after cleaning with strong kangen water.

Healthy water use

Reduced Water

pH8.5-9.5 POTABLE WATER



button  from the flexible pipe

At the same time, Acid Water will be released from the secondary hose.

Swelling effect

The action of softening things

Dissolving effect

The action of dissolving and drawing out materials

Thermal conduction

Water boils quicker than normally

Kangen Water® improves the taste of your drinking water and food.

● Use with coffee or tea

Use less coffee and tea, yet it will give you more flavor. It will give you enhanced color, taste, and aroma, and experience fuller and richer taste.

● Use with strong acidic foods

Drink Kangen Water® when eating strong acidic foods, such as meat and egg. The alkaline water produced will assist in neutralizing acidity.

● Use for cooking soup and stew

Kangen Water® brings out the flavor of ingredients and your cuisine turns out more tender and juicier. You will also need less seasoning, making it perfect for those trying to reduce their salt intake.

● Use for washing vegetables

Use Kangen Water® to remove bitterness from vegetables, such as onions and other strong-flavored produce.

● Use for cooking rice

Use Kangen Water® to wash and cook rice. It will bring out delicious and fluffy rice.



Things you need to know about Strong Acidic Water and Strong Reducing Water

What is strong acidic water?

It refers to the electrolyzed water generated at the anode by adding an electrolysis promoting solution to the source water and performing electrolysis, but it is not a strong acidic chemical.

Generally, it shows characteristics of pH 2.7 or lower and ORP of +1,100mV or higher.

What is strong reductive water?

Adding an electrolytic promoting solution to raw water and performing electrolysis produces electrolyzed water containing hydroxide ions generated at the cathode.

However, this is not a strong alkaline chemical. Generally, it shows characteristics of a pH above 11.0 and an ORP* of -700mV to -850mV.

※What is ORP (Oxidation Reduction Potential)?

This is a value that represents the difference between oxidation power and the reduction power in terms of potential difference.

If this value is positive, it indicates a strong oxidation power, while if it is negative, it indicates a strong reduction power.

ENVIRONMENTAL BEAUTY

Beauty water use

Beauty Water

pH6.0 ⚠️*NON-POTABLE

⏴ button **push** from the flexible pipe

At the same time, Kangen Water will be released from the secondary hose.

Astringency

The action causing skin cells or other body tissues to tighten

Cleaning power

The action to cleanse your skin

Acidic water is especially effective in toning the skin.

It helps to refresh the skin after a hot bath or shower and also works to close the pores after washing your face.

For boiling pasta and making batters for frying.

Noodles and pasta will take on a brilliant shine and improved texture because of boiling them in acidic water. Acidic water will also enhance the batter and crispy texture of fried foods.

As a cleaner.

Acidic water improves effectiveness when cleaning stains on dishes, cups, glasses, and even bathroom tiles.



Safe water

Use clean water to take medication and make baby formula.

High-power water filter removes not only chlorine but also sediment such as rust and impurities. Clean water tastes delicious and is filled with essential minerals. Clean water is best used to take medications and in making baby formula.

Clean water

pH7.0 POTABLE WATER

⏴ button **push** from the flexible pipe

At the same time, the secondary hose also releases clean water, but please use the water released from the flexible pipe.



With the one-touch convenience of the diverter, change between



ION Clean Water




TAP Tap water Shower



TAP Tap water (Straight)


■ Faucet types and diverter

(Plumbing work and/or separate accessories may be required depending on the place of installation)



■ Scale drawing mm (inches)

Gross Weight : 5.4kg 11.9lbs



Standard Specifications

MODEL NAME · NUMBER	LevelLuk SD501DX A29-01																					
POWER SUPPLY	AC 100V or 120V or 220~240V																					
POWER CONSUMPTION	Approximately 230W (under maximum electrolysis function)																					
SYSTEM	Continuous Ionized Electrolysis Water Generator System (with built-in flow rate sensor)																					
PRODUCTION RATE	Kangen Water : 2.5~4.0L / min. 0.7~1.1gal / min.	<table border="1"> <tr> <td>WATER FILTER</td> <td>FILTERING MEDIUM</td> <td>Sulfurous Acidic Calcium & Activated carbon</td> </tr> <tr> <td rowspan="2">FILTRATION ABILITY</td> <td>INITIAL CHORLINE REMOVAL</td> <td>95% or greater</td> </tr> <tr> <td>ELEMENTS NOT REMOVABLE</td> <td>Metallic ions and/or salinity present in original (tap) water</td> </tr> <tr> <td>APPLICABLE WATER QUALITY AND PRESSURE</td> <td colspan="2">Municipally supplied drinking water: Dynamic range in 100~450 kPa</td> </tr> <tr> <td>ELECTROLYSIS ENHANCER</td> <td colspan="2">Solution additive pump system</td> </tr> <tr> <td>ENHANCER REFILLING</td> <td colspan="2">Indicates by voice, alarm and LCD</td> </tr> <tr> <td>PROTECTOR</td> <td colspan="2">Current Limiter/Voltage Stabilizer/Thermal Protection</td> </tr> </table>	WATER FILTER	FILTERING MEDIUM	Sulfurous Acidic Calcium & Activated carbon	FILTRATION ABILITY	INITIAL CHORLINE REMOVAL	95% or greater	ELEMENTS NOT REMOVABLE	Metallic ions and/or salinity present in original (tap) water	APPLICABLE WATER QUALITY AND PRESSURE	Municipally supplied drinking water: Dynamic range in 100~450 kPa		ELECTROLYSIS ENHANCER	Solution additive pump system		ENHANCER REFILLING	Indicates by voice, alarm and LCD		PROTECTOR	Current Limiter/Voltage Stabilizer/Thermal Protection	
	WATER FILTER		FILTERING MEDIUM	Sulfurous Acidic Calcium & Activated carbon																		
FILTRATION ABILITY	INITIAL CHORLINE REMOVAL	95% or greater																				
	ELEMENTS NOT REMOVABLE	Metallic ions and/or salinity present in original (tap) water																				
APPLICABLE WATER QUALITY AND PRESSURE	Municipally supplied drinking water: Dynamic range in 100~450 kPa																					
ELECTROLYSIS ENHANCER	Solution additive pump system																					
ENHANCER REFILLING	Indicates by voice, alarm and LCD																					
PROTECTOR	Current Limiter/Voltage Stabilizer/Thermal Protection																					
LEVEL SELECTIONS	7 levels	Strong Acidic water																				
	<ul style="list-style-type: none"> ● Kangen water /3 levels (approx. pH8.5, 9.0, 9.5) ● Clean water (approx. pH7.0) ● Acidic water (approx. pH6.0) ● Strong Acidic water (approx. pH2.5) /Strong Kangen water (approx. pH11.0) 																					
ELECTROLYSIS CAPABILITY UNDER CONTINUOUS USE	Approx. 30 min. at normal room temperature.																					
CELL CLEANING METHOD	Auto cleaning system (periodically controlled by microcomputer).																					
ELECTRODE MATERIAL	Platinum-plated Titanium																					

SAFETY PRECAUTIONS For your own safety, be sure to observe the following precautions

⚠ WARNING

- Please read the Operation Manual carefully and follow all the instructions.
- Pay strict attention to the following before consuming Ionized Alkaline Water (KANGEN WATER®).
 - (1) Do not take medicine(s) with KANGEN WATER®.
 - (2) Those with conditions of anacidity should not consume KANGEN WATER®.
 - (3) Immediately STOP USE should you experience any abnormal feeling after consuming KANGEN WATER®
- Consult with your physician prior to consuming KANGEN WATER® Should you have any concerns.
- Those under the care of a physician should consult with their physician before consuming KANGEN WATER®.
- Those with sensitive skin or allergies should consult their physician before consuming KANGEN WATER®.
- Those with allergic reactions or sensitivity to acidic water should consult their physician.

⚠ CAUTION

- For those drinking KANGEN WATER® for the 1st time: It is recommended to start drinking KANGEN WATER® at 8.5pH with 1~2 glasses/day for one week.
- You can then gradually increase the pH level.
- Should you experience a rash after drinking KANGEN WATER®: Those with allergies to certain foods may experience rash-like symptoms. Consult with your physician immediately.
- Use municipally-treated tap water.

- The specifications or appearance of the product are subject to manufacturer's improvements without prior notice.
- Please be aware that actual products may differ slightly in color, etc from that seen in print.
- For more information about the product, please inquire with the sales dealer in your district or area.
- Every product has an accompanying warranty card, which shall be filled in and issued by the Representative Sales Firm. Please check the contents and keep it in safe place for later use during the period of warranty.

Distributor

Enagic International Co., Ltd.